

## Delivery Articlennr Feature – articlennr and articlennr2

### As per your comments:

- 1) Requested articlennr = requested\_articlennr
- 2) articlennr = Delivery\_Articlennr (from /add\_order)
- 3) **articlennr2** = Insert articlennr added with the use of + on the article .The latest articlennr will be stored
- 4) If we add/change the articlennr in /viewsales with the use of +, show

**articlennr** (Delivery\_Articlennr from /add\_order) => **articlennr2**

### As per the current system:

- 1) Requested articlennr = requested\_articlennr
- 2) articlennr = Delivery\_Articlennr (from /add\_order) - **Insert articlennr added with the use of + on the article .The latest articlennr will be stored**
- 3) **articlennr2** = **The old articlennr will be stored when updating new articlennr.**
- 4) If we add/change the articlennr in /viewsales with the use of +, show

**articlennr2** => **articlennr** (latest delivery articlennr)

<b>requested_articlennr</b>	varchar(50) NULL	Requested Articlennr
<b>articlennr</b>	varchar(50) NULL	Final Delivery Articlennr
<b>articlennr2</b>	varchar(50) NULL	Delivery Articlennr2

Only the column name differs, the functionality is working as expected, and we are using the existing column (**ds\_OrderItem->articlennr**) as final delivery articlennr (as per V3) and all conditions are based on this only.

As per your comments, the latest articlennr needs to be stored in articlennr2. We will need to use this latest articlennr throughout the SD and PDFs. Changing values from **ds\_OrderItem->articlennr** to **ds\_OrderItem->articlennr2** would lead to significant changes, which would take 40 to 60 hours and require thorough testing, as it will impact the entire system. That is why I have kept the delivery articlennr as it is.

In the view sales page and all other PDFs, the articlennr will be displayed as:

**oldArticlennr => newArticlennr** - I hope it should display in this format only. Please confirm.

(ds\_OrderItem->articlennr2 => ds\_OrderItem->articlennr)